

Inspecta UAB Certification body, after actions according to STR 1.01.04:2015 system 1 has granted this certificate as proof that

cement-bonded particleboards thicknesses 25 mm and 35 mm

(name of product)

see annex

(performance of the product)

produced by

OOO "Volgodonskij kombinat drevesnych plit",

Portovaja str. 1, Volgodonsk, 347360 Rostov region, Russia / company code 41503019513
(name and address of the manufacturer, company code)

in the manufacturing plant

Portovaja str. 1, Volgodonsk, 347360 Rostov region, Russia
(address of manufacturing plant)

conform to

TU 5537-003-00257-561-2004 (with 2013-06-25 amendment)


requirements.

This certificate will remain valid as long as the technical specification remains valid and the factory production control fulfils all the prescribed requirements of the technical specification set out above.

Validity of the certificate can be checked at Inspecta UAB Certification body.

Date of issue: 2017-03-27

Valid until: 2020-03-27



Certification SL manager Romas Skripka



Essential characteristics:

Essential characteristic	Test method	Measurement units	Declared value
Reaction to fire	LST EN 13501-1:2007 +A1:2010	class	B-s2,d0
Density	LST EN 323:1999	kg/m ³	≤ 800
Moisture content	LST EN 322:1999	%	14÷30
Swelling in thickness after immersion (24 h) in water	LST EN 317:1999	%	≤ 3.5
Water absorption	LST EN 317:1999	%	≤ 40
Bending strength: - for thickness 25 mm - for thickness 35 mm	LST EN 310:1999	MPa	≥ 1.4 ≥ 1.1
Modulus of elasticity in bending: - for thickness 25 mm - for thickness 35 mm	LST EN 310:1999	MPa	≥ 270 ≥ 250
Release of formaldehyde	LST EN ISO 12460-3:2016	class	E1

Certification SL manager Romas Skripka

2017-03-27